


Industrias AlEn Research & Development Safety Data Sheet



SAP Code

SDS FP-6050125

| SECTION 1 – IDENTIFICATION | | | | | |
|--|--|----------------------------|---------------------------------|-------------------|--|
| Manufacturer | | Mexico emergency telephone | | Fax | |
| ALEN DEL NORTE S.A. DE C.V. | | 01 800 834 33 00 |) | +52 (81) 81221099 | |
| Address | | Emergency telepho | Emergency telephone number (US) | | |
| | | CHEMTRAC | | | |
| Blvd. Díaz Ordaz No. 1000, Los Treviño, Santa Catarina, N.L. C.P. 66150, México | | For domestic shipm | nents | 800 424 9300 | |
| | | For shipments outside US | | 703 527 3887 | |
| Product Name | | | | | |
| CLORALEN BATHROOM CLEANER WITH BLEACH FRESH SCENT | | | | | |
| Chemical Name CAS Number | | | er | | |
| NA | | NA | | | |
| Synonyms/Trade Names | | | | | |
| NA | | | | | |
| Application | Restrictions on use | | | | |
| Household Cleaner with Bleach | This product is not intended for industrial uses or as a sanitizing agent. | | | | |

SECTION 2 – HAZARDS IDENTIFICATION

Classification: Skin Corrosion Cat. 1B Eye Damage Cat. 1 Aquatic Acute Toxicity Cat. 1

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| <u>.</u> | • | | |
|--------------------|---|--|--|
| Signal word: | Danger | | |
| Hazard Statements: | H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. | | |
| Pictograms: | | | |
| Ly. | | | |

| Precautionary Statements | |
|---|---|
| Prevention: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. Wear protective gloves, protective clothing, face and eye protection. Wash hands thoroughly after handling. Do not breathe vapors. Avoid release to the environment. | Storage: Store locked up. Keep out of reach of children. Keep containers closed when not in use. Store in a cool, dry area. Keep from freezing. |
| Response: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. If wearing contact lenses, remove after 5 minutes and continue rinsing for 10-15 minutes. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Get prompt medical attention. Give a glassful of water. Do not induce vomiting. IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. | Disposal: Dispose in accordance with all applicable local, state and federal regulations. |
| Hazard not otherwise classified: Contact with acids liberates toxic gas. Repeated or prolonged contact may cause skin sensitization. | Unknown Toxicity: Not applicable, very toxic to aquatic life. |

| SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS | | | | |
|--|-------------------|------------|--|--|
| Hazardous Ingredients Chemical/Common Name | Composition Range | CAS Number | | |
| Hipochlorous acid sodium salt / Sodium hypochlorite | 2.0 - 4.0 | 7681-52-9 | | |
| Sodium hydroxide / Caustic soda | 0.1 – 0.5 | 1310-73-2 | | |
| 1-Dodecanamine, N,N-dimethyl-, N-oxide | 0.7 – 0.9 | 73502-08-6 | | |

| SECTION 4 – FIRST-AID MEASURES | | | | |
|---|---|--|--|--|
| For treatment advice, call a Poison Control Center or a doctor. | | | | |
| Ingestion | If only small amounts have been ingested, give a glass of water or milk to drink. For large ingestions, consider nasogastric aspiration of the stomach contents. Apply other supportive measures as indicated by the patient's clinical condition. Get immediate medical attention. | | | |
| Inhalation | Remove patient from exposure. Ensure a clear airway and adequate ventilation. Give oxygen to symptomatic patients. Apply other supportive measures as indicated by the patient's clinical condition. Get medical attention. | | | |
| Skin | Remove patient from exposure. Remove all soiled clothing. Wash the skin with tepid water until it no longer feels soapy. Apply a soothing cream if there is any residual skin irritation. | | | |
| Eyes | Remove patient from exposure. Remove contact lenses if necessary and immediately irrigate the affected eye thoroughly with water or 0.9% saline for at least 10-15 minutes. Patients with corneal damage or those whose symptoms do not resolve rapidly should seek medical advice. Get medical attention. | | | |
| Most important symptoms and effects: Burning of eyes and/or skin | | Indication of any immediate medical attention and special treatment needed: Treat symptomatically. Can cause corneal burns. Probable mucosal damage may contraindicate the use of gastric lavage. | | |

| | SECTION 5 – FIRE-FIGHTING MEASURES | | | |
|--|---|--|--|--|
| Flash Point (°C) | Test method | | | |
| NA | NA | | | |
| Flammability | Explosive limits in air | | | |
| Not flammable | No explosion hazard. | | | |
| Extinguishing media: | | | | |
| Water spray X | CO ₂ X Foam X Other | | | |
| Unusual fire and explosion h | hazards | | | |
| NA | | | | |
| Special protective equipmer | nt | | | |
| Full breathing apparatus and | nd fire-fighting equipment. Neoprene gloves, goggles, boots. | | | |
| Special firefighting procedur | ires | | | |
| NA | | | | |
| Conditions to avoid | | | | |
| Avoid contact with acids, am | mmonia. Acts as oxidizer with combustible material. | | | |
| Hazardous combustion prod | ducts | | | |
| Carbon dioxide and carbon | monoxide; chlorine gas may be released | | | |
| | | | | |
| SECTION 6 – ACCIDENTAL RELEASE MEASURES | | | | |
| Protective equipment: | | | | |
| Gloves X Gog Neoprene | ggles X Boots X Coat X Other X Resistant Liquid-tight chemical protective clothing in combination with self-contained open circuit positive pressure compressed air breathing apparatus | | | |
| Emergency Procedures in case of release or spillage: Large spills: Wear protective equipment, remove sources of ignition, sweep up the material, use absorbent material like sand or saw dust, collect in closed containers, wash area with water because the surface may be slippery. Small spills: Wash area with plenty of water and dispose the material in accordance with all local, state and federal regulations. Avoid contact with acids, ammonia. Avoid contact with skin, eyes and clothing. | | | | |
| material like sa surface may be Small spills: Wash area with | and or saw dust, collect in closed containers, wash area with water because the e slippery. h plenty of water and dispose the material in accordance with all local, state and | | | |
| material like sa surface may be Small spills: Wash area with federal regulation | and or saw dust, collect in closed containers, wash area with water because the e slippery. In plenty of water and dispose the material in accordance with all local, state and tions. Avoid contact with acids, ammonia. Avoid contact with skin, eyes and clothing. In Do not allow product to enter lakes, rivers or streams. The product is toxic to fish and | | | |
| material like sa surface may be Small spills: Wash area with federal regulations: aquatic inverted Methods and Materials for | and or saw dust, collect in closed containers, wash area with water because the e slippery. In plenty of water and dispose the material in accordance with all local, state and tions. Avoid contact with acids, ammonia. Avoid contact with skin, eyes and clothing. In Do not allow product to enter lakes, rivers or streams. The product is toxic to fish and | | | |

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid contact with acids, ammonia or metals. Do not eat, drink, or smoke when using the product.

Recommendations on the conditions for safe storage: Store locked up. Keep out of reach of children. Keep containers closed when not in use. Store in a cool, dry area. Keep from freezing.

| Exposure limits: | | | | | |
|--|------------|----------------------------------|--|--|--|
| Hazardous Ingredients Chemical/Common Name | CAS Number | ACGIH TLV | OSHA PEL/NIOSH REL | | |
| Hipochlorous acid sodium salt / Sodium hypochlorite | 7681-52-9 | TLV: Not estab. | ND | | |
| Sodium hydroxide / Caustic soda | 1310-73-2 | TLV-ceiling: 2 mg/m ³ | PEL-TWA: 2 mg/m ³ REL-ceiling: 2 mg/m ³ | | |
| 1-Dodecanamine, N,N-dimethyl-, N-oxide 73502-08-6 | | ND | ND | | |
| Appropriate engineering controls: Eye-washers Ventilation requirements General ventilation Local ventilation X Unnecessary in normal cond. Work practices: Handle according to good industrial hygiene and safety practices. | | | | | |

| SEC | SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES | | | | |
|---|---|---------------------------------|----|--|--|
| Appearance: | Clear liquid | | | | |
| Color and odor: | Light yellow and characteristic chlorine-herbal scent | | | | |
| Boiling point (°C): | ND Melting or freezing point: NA | | NA | | |
| Flash point (°C): | NA | Decomposition temperature: | ND | | |
| Fire point (°C): | NA | Auto ignition temperature (°C): | NA | | |
| Density (g/ml): | 1.030 – 1.050 | Vapor density: | ND | | |
| Molecular weight: | NA | Volatility: | NA | | |
| Percent volatile 100°C: | 93.0 – 98.0 | Vapor pressure (mmHg @ 20°C): | ND | | |
| Lower explosion limit (%): | NA | Upper explosion limit (%): | NA | | |
| pH: | 12.5 – 13.5 | Viscosity (cPs): | NA | | |
| Solubility in water: | Complete | Solubility in others: | ND | | |
| Partition coefficient: n-octanol / water | ND | Odor threshold: | ND | | |

SECTION 10 – STABILITY AND REACTIVITY

| Reactivity: Reacts in contact with acidic products, ammonia or vinegar and may release chlorine gas. |
|--|
| Chemical stability: Stable X Unstable Under recommended storage conditions |
| Possibility of hazardous reactions: It may react exothermically in contact with acids to generate chlorine gas. |

| Conditions to avoid: It may become unstable a | at high temperatu | ıres (above 45°C). | | | |
|---|-------------------|------------------------|-------------------|-------------------|-------------------------------------|
| Incompatible materials: None known | Water | Acids X | Alkalis Fe | Oxide X | Other X Metals, ammonia, urea |
| Hazardous decomposit Chlorine gas. When heat | • | tion it emits toxic fu | mes of Na₂O and I | nydrogen chloride | • |
| Hazardous polymerizat Will not occur X | ion: May occu | ır | | | |

| SECTION 11 – TOXICOLOGICAL INFORMATION | | | | | |
|---|--|--|--|--|--|
| Information on the likely routes of exposure | | | | | |
| Contact via | | Acute | Chronic | | |
| Ingestion | mucous. Ingestion of sm adults; up to 50r to the mouth, thro Ingestion of large or 100ml in c | amounts (about 300ml in adults hildren) may cause corrosive lominal pain, diarrhea and, in | May cause severe burns. | | |
| Inhalation | cough, chest tig confusion. Dyspr oedema may fo increasing breath | s and nose with sore throat, htness, head-ache, ataxia and hoea and stridor due to laryngeal ollow. Pulmonary oedema with hlessness, wheeze, hypoxia and the up to 36 hours to develop. | NA | | |
| Skin | May cause irritation or cause burning pain. | | May cause severe burns. | | |
| Eyes | | itation, pain, blepharos-pasm, unctivis, pal-pebral oedema and | May cause severe eye damage, like corneal burns. | | |
| Symptoms: Burning of eyes ar | Symptoms: Burning of eyes and/or skin, sore throat, cough or esophagitis. | | | | |
| Chronic effects from short and long-term exposure: Carcinogenic Mutagenic Incuded in Included in NOM 010 other references STPS | | | | | |
| National Toxicology Program (NTP) Report on Carcinogens: Not listed. International Agency for Research on Cancer (IARC) Monographs: Group 3 – Not classifiable as to Carcinogenicity to Humans. OSHA: Not listed. | | | | | |
| Complementary information | | | | | |
| Chemica | l Name | LD50 Oral | Animal Species | | |
| Sodium hy | pochlorite | 5,800 mg/kg | Mouse | | |

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: Very toxic to aquatic life. Toxic to fish, shrimp, oysters and other aquatic invertebrates. Do not allow product to enter lakes, rivers or streams.

Persistence and degradation in environment: Information not available.

Test of bioaccumulation: Information not available.

Other adverse effects: Information not available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste disposal methods:

Dispose in accordance with all applicable local, state and federal regulations. **Contaminated packaging:** Do not reuse empty containers.

| SECTION 14 – TRANSPORT INFORMATION | | | | | | | |
|--|--|-----------------------------------|-----------------------|------------------|--|--|--|
| Regulation | Proper Shipping Name | Identification number UN/NA | Hazard Classification | Packing Group | | | |
| Land Transportation DOT (USA) | Hypochlorite solutions | UN1791 | Class 8 | * | | | |
| Land Transportation TDG (Canada) | Hypochlorite solutions | UN1791 | Class 8 | 111 | | | |
| Land Transportation ADR (Europe) | Hypochlorite solutions | UN1791 | Class 8 | 111 | | | |
| Air Transportation IATA (International) | Hypochlorite solutions | UN1791 | Class 8 | 111 | | | |
| Water Transportation IMDG (Chapter 2.9 IMDG code) (International) | Hypochlorite solutions Marine pollutant | UN1791 | Class 8 | ** | | | |

* Limited Quantity: As provided in 49CFR 173.154, this product is excepted from packaging and labeling requirements when transported by land in single packaging with net quantities of 5.0 L (1.3 gallons) or less.

** As provided in 49CFR 172.322, there no additional packaging or marking requirements for single packaging with net quantities of 5.0 L (1.3 gallons) or less.

| SECTION 15 – REGULATORY INFORMATION | | | | | |
|--|---|--|--|--|--|
| RCRA (40 CFR 261, Subpart D): | New Jersey Right to Know Hazardous Substance List: | | | | |
| If this product becomes a waste, it meets the criteria of a hazardous waste and would have the following EPA hazardous waste number: D002. As a hazardous liquid waste, it must be disposed of in accordance with local state and federal regulations in a permitted hazardous waste treatment facility | This product contains the following components subject to reporting requirements: sodium hypochlorite and sodium hydroxide. | | | | |
| Clean Water Act: | Pennsylvania Hazardous Substance List: | | | | |
| Contains sodium hypochlorite ($RQ = 100 \text{ lb}/45.4 \text{ kg}$) and sodium hydroxide ($RQ = 1000 \text{ lb}/454 \text{ kg}$) which are regulated under Sections 301, 307 and 311. | This product contains the following components subject to reporting requirements: sodium hypochlorite and sodium hydroxide. | | | | |
| Clean Air Act: | Massachusetts Substance List: | | | | |
| Not applicable. | This product contains the following components subject to reporting requirements: sodium hypochlorite and sodium hydroxide. | | | | |

| SARA Sections 301-304 (Threshold Planning Quantity - TPQ) 40 CFR 355: | State Of Illinois Substance List: | |
|---|---|--|
| Not applicable. | This product contains the following components subject to reporting requirements: sodium hypochlorite and sodium hydroxide. | |
| Section 313 (Toxic Chemical Release Reporting) 40 CFR 372: | Michigan Critical Materials Register: | |
| The following chemicals must be reported under SARA 313: Sodium hypochlorite. | Not applicable. | |
| CERCLA Section 102 (Reportable Quantity - RQ): | Canada (WHMIS) - listed material: | |
| Not applicable. | This product contains the following components subject to reporting requirements: sodium hypochlorite and sodium hydroxide. | |
| California Proposition 65 Carcinogens and reproductive toxins: | TSCA Section 8(b) Inventory Status: | |
| Not applicable. | All ingredients listed in this product are listed in the TSCA Inventory or are not required to be listed in the TSCA Inventory. | |

| SECTION 16 – OTHER INFORMATION | | | | | |
|---|---|-------------|--|--|--|
| HMIS Classification (USA) | | HMIS Letter | Required Equipment | | |
| Health | 3 | A | Safety glasses. | | |
| Flammability | 0 | В | Safety glasses, gloves. | | |
| Physical Hazard | 0 | С | Safety glasses, gloves, protective apron. | | |
| Personal Protection B | | D | Face shield, gloves, protective apron. | | |
| | | E | Safety glasses, gloves, dust respirator. | | |
| NFPA Aerosol Level: | | F | Safety glasses, gloves, protective apron, dust respirator. | | |
| NA | | G | Safety glasses, gloves, vapor respirator. | | |
| NA: Not Applicable TLV: Threshold Limit Values ND: Not Determined | | н | Splash glasses, gloves, protective apron, vapor respirator. | | |
| | | I | Safety glasses, gloves, dust respirator, vapor respirator. | | |
| | | J | Safety glasses, gloves, protective apron, dust respirator, vapor respirator. | | |
| | | К | Air line mask or hood, gloves, full suit, boots. | | |

| Creation date: | Last revision date: | Next revision date: | Created by: |
|----------------|---------------------|---------------------|------------------------|
| 03/Jan/2008 | 04/May/2015 | 04/May/2017 | Gerardo Urbina Pacheco |

DISCLAIMER

The submission of this MSDS may be required by law, but this is not an assertion that the substance is not hazardous when it is not used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health. The information contained herein has been compiled form sources considered by Industrias AIEn to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. Industrias AIEn assumed no responsibility for injury to the recipient or third persons, for any damage to any property form misuse of the controlled product.